

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	330	((fax or facsimile or mfp or multi\$3function\$5) with (transfer\$5 or relay\$5 or transit\$5)) same ((fax or facsimile or mfp or multi\$3function\$5) with destination) same ((source or sending or originat\$5) with (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:09
S2	0	S1 and (((fax or facsimile or mfp or multi\$3function\$5) with (transfer\$5 or relay\$5 or transit\$5)) same ((image or data or color or conver\$5 or compres\$5 or encod\$5 or cod\$5) near3 parameter)) same ((stor\$5 or memory) with parameter) same ((source or sending or originat\$5) with (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:10

S3	6	S1 and (((fax or facsimile or mfp or multi\$3function\$5) with (transfer\$5 or relay\$5 or transit\$5)) same ((image or data or color or conver\$5 or compres\$5 or encod\$5 or cod\$5) near3 (format\$5 or parameter))) same ((stor\$5 or memory) with (format\$5 or parameter)) same ((source or sending or originat\$5) with (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:11
S4	335	((fax or facsimile or mfp or multi\$3function\$5 or server) with (transfer\$5 or relay\$5 or transit\$5)) same ((fax or facsimile or mfp or multi\$3function\$5) with destination) same ((source or sending or originat\$5) with (fax or facsimile or mfp or multi\$3function\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:23
S5	16	S4 and (((fax or facsimile or mfp or multi\$3function\$5 or server) with (transfer\$5 or relay\$5 or transit\$5)) same ((stor\$5 or memory or table or lut or look\$3up) with (type or format\$5 or parameter)) same ((conver\$5 or transform\$5) with (type or format\$5 or parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:25

S6	10	S5 and (((fax or facsimile or mfp or multi\$3function\$5) with destination) with (type or format \$5 or parameter)) and (((source or sending or originat \$5) with (fax or facsimile or mfp or multi\$3function\$5)) with (type or format \$5 or parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:26
S7	16	S4 and (((fax or facsimile or mfp or multi\$3function\$5 or server) with (transfer\$5 or relay \$5 or transit\$5)) same ((stor\$5 or memory or table or lut or look\$3up) with (type or format \$5 or parameter)) same ((chang\$5 or conver\$5 or transform\$5) with (type or format\$5 or parameter))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:28
S8	10	S7 and ((destination) with (type or format\$5 or parameter)) and (((source or sending or originat \$5) with (type or format\$5 or parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:30

S9	18	S4 and (((fax or facsimile or mfp or multi\$3function\$5 or server) with (transfer\$5 or relay \$5 or transit\$5)) same ((stor\$5 or memory or table or lut or look\$3up) with (protocol or type or format\$5 or parameter)) same ((chang\$5 or conver\$5 or transform\$5) with (protocol or type or format\$5 or parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:34
S10	14	S9 and ((destination) with (protocol or type or format\$5 or parameter)) and (((source or sending or originat \$5)) with (protocol or type or format\$5 or parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:38
S11	1	"6801341".pn. and ((stor\$5 or memory or table or lut or look\$3up) with (protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:14
S12	0	"6801341".pn. and ((table or look\$8) with (protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:15
S13	0	"6801341".pn. and (parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:15
S14	492	((fax or facsimile) with (without) and encrypt\$5 and head \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:21

S15	40	((fax or facsimile) with without with (memory or stor \$5)) and encrypt\$5 and head\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:21
S16	679	((fax or facsimile) with us\$3 with (memory or stor \$5)) and encrypt\$5 and head\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:22
S17	1	"6801341".pn. and ((stor\$5 or memory) with (packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:24
S18	1	"6940615".pn. and wait\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:26
S19	0	"6940615".pn. and idle\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:27
S20	1	"6940615".pn. and hold\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:27
S21	1	"6940615".pn. and busy\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:27
S22	1	"6816911".pn. and wait\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:28
S23	1	"6816911".pn. and busy\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:31

S24	1	"6801341".pn. and ((detect\$5 or determin\$7 or judg\$5) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:35
S25	51	((fax or facsimile) same (transmi\$7 or send\$5) same without with (memory or stor\$5)) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:37
S26	0	((fax or facsimile) same (transmi\$7 or send\$5) same without with (memory or stor\$5)) .clm. and ecrypt\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:38
S27	0	((fax or facsimile) same (transmi\$7 or send\$5) same without with (memory or stor\$5)) .clm. and ecrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:39
S28	5	((fax or facsimile) same (transmi\$7 or send\$5) same without with (memory or stor\$5)) .clm. and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:39
S29	77	((fax or facsimile) same (transmi\$7 or send\$5) same (memory or stor\$5)) .clm. and encrypt\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:40
S30	1	"6801341".pn. and ((extract\$5) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:46
S31	1	"6801341".pn. and ((extract\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:47

S32	1	"6801341".pn. and ((indicat\$5) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:47
S33	7	meng.in. and saturation.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:52
S34	0	meng.in. and menberu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:57
S35	1	"881402".ap. and (stor\$5 with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 17:59
S36	1	"881402".ap. and (stor\$5 with parameter) same (conver\$6 with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:02
S37	9	S4 and (((fax or facsimile or mfp or multi\$3function\$5 or server) with (transfer\$5 or relay \$5 or transit\$5)) with ((stor\$5 or memory or table or lut or look\$3up) with (protocol or type or format\$5 or parameter)) same (((source or sending or originat \$5) with (fax or facsimile or mfp or multi\$3function\$5)) with (transmi\$7 or send\$5) with (protocol or type or format\$5 or parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:06

S38	0	"5552901".pn. and (image with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:15
S39	1	"5552901".pn. and (image same parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:15
S40	0	"5552901".pn. and (color same parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:15
S41	1	"5552901".pn. and (transmi\$7 same parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:15
S42	0	"5552901".pn. and ((format\$5 or type) same parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:16
S43	1	"5552901".pn. and 29b	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:16
S44	1	"5552901".pn. and (conver\$5 with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:18
S45	1	"5552901".pn. and 27e	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:20
S46	0	"5552901".pn. and (conver\$5 with format) with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:20

S47	0	"5552901".pn. and (conver\$5 with format) same destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 18:20
S48	1	"5552901".pn. and 27e	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:43
S49	0	"5552901".pn. and "11" same destination same conve\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:44
S50	1	"5552901".pn. and "11" same destination same conve\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:44
S51	1	"5552901".pn. and "11" same destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:45
S52	1	"5552901".pn. and "11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:45
S53	1	"5552901".pn. and format with conver \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:46
S54	1	"5552901".pn. and 29b	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:48
S55	2	"6940615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:54

S56	1	"6940615".pn. and format with conver \$56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:55
S57	1	"6940615".pn. and format with (stor\$5 or memory or table or lut or look\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:57
S58	1	"6940615".pn. and format with (receiv \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 09:58
S59	2	"6940615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:01
S60	0	"6940615".pn. and (host same job same ((request\$5 or requir\$65) with attribute with information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:08
S61	1	"6940615".pn. and (host same ((request\$5 or requir\$65) with attribute with information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:08
S62	1	"6940615".pn. and (host same ((request\$5 or requir\$65) with attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:09
S63	1	"6940615".pn. and (host same ((request\$5 or requir\$65) with attribute)) and (host with (submit \$5 or request\$5 or send\$5) with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:10

S64	1	"6940615".pn. and (start\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:48
S65	1	"6940615".pn. and (job with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:49
S66	0	"6940615".pn. and (job same updat\$5 same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:49
S67	0	"6940615".pn. and (updat\$5 same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:49
S68	0	"6940615".pn. and (job same new\$5 same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:50
S69	2	"6940615".pn. and (notif\$8 same select\$5 same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:51
S70	0	"6940615".pn. and (notif\$8 same status same job same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:53
S71	0	"6940615".pn. and (status same job same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:53
S72	1	"6940615".pn. and (status same host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:53

S73	0	"6940615".pn. and (status with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:54
S74	0	"6940615".pn. and (status same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:54
S75	1	"6940615".pn. and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:54
S76	0	"5552901".pn. and (((text or image) adj2 format\$6) same conver\$56 same remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:03
S77	1	"5552901".pn. and (((text or image) adj2 format\$6) same conver\$56)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:04
S78	1	"5552901".pn. and (((text or image) adj2 format\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:04
S79	1	"5552901".pn. and ((format\$6) same conver\$56 same remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:06
S80	1	"6816911".pn. and busy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:31
S81	1	"6816911".pn. and busy same (retr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:31

3/26/08 4:04:46 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\09881402.032508.wsp